

Coffee



V60 coffee dripper

Widely recognized around the world, the V60 pour over.

Why cone shape?

The cone shaped paper filter adds depth to the coffee layer, so that the water flows to the center, expanding the amount of time of it is in contact with the ground coffee.



VD-01W

C/T48 724204
W115 · D100 · H82
top opening diameter 95
1 ~ 2cups



VD-01R

724228



VD-02W

C/T48 724303
W137 · D116 · H102
top opening diameter 116
1 ~ 4cups



VD-02R

724327



VD-01T

C/T48 723016
W115 · D100 · H82
top opening diameter 95
1 ~ 2cups



VD-02T

C/T48 723023
W137 · D116 · H102
top opening diameter 116
1 ~ 4cups



VD-03T

C/T36 723030
W157 · D137 · H122
top opening diameter 137
1 ~ 6cups

Coffee

V60 Glass dripper & Pot • CLAIR



For hot drink



V DGN-01B

C/T24 724747
W129 · D110 · H78
top opening diameter 97
1 ~ 2cups



V DGN-02B

C/T24 724778
W132 · D115 · H96
top opening diameter 115
1 ~ 4cups

V60 glass dripper

V60 Glass Dripper and Pot / CLAIR

The V60 Glass Dripper and Pot / Clair can be used to casually enjoy pour over coffee. You have three colors to choose from including turquoise, coral and purple.



For microwave



Do not expose to direct flame



new

VGS-3512-TC

C/T12 142534
W133 · D101 · H145
Dripper : 1 ~ 2cups
Pot practical capacity 360ml



new

VGS-3512-CO

142527



new

VGS-3512-PU

142541

**VDC-01W**

C/T40 723115
W119 · D100 · H82
top opening diameter 95
1 ~ 2cups

**VDC-01R**

724013

**VDC-02W**

C/T36 723122
W140 · D120 · H102
top opening diameter 116
1 ~ 4cups

**VDC-02R**

724037



For microwave



Do not expose to
direct flame

**VDS-3012W**

C/T12 142251
W130 · D107 · H174
Dripper : 1 ~ 2cups
Pot practical capacity 360ml

**VDS-3012R**

142268

V60 ceramic dripper



For hot drink



VDG-01W

C/T24 724402
W124 · D110 · H78
top opening diameter 97
1 ~ 2cups



VDG-01R

724464



VDG-01B

724419



VDG-02W

C/T24 724426
W128 · D115 · H95
top opening diameter 115
1 ~ 4cups



VDG-02R

724471



VDG-02B

724433



VDG-03B

C/T24 724525
W165 · D138 · H115
top opening diameter 136
1 ~ 6cups

V60 glass dripper

**VDM-02HSV**

C/T12 724129
W145 · D120 · H90
top opening diameter 120
1 ~ 4cups

**VDM-02BC**

724136

**VDM-02CP**

724143

**VDP-02CP**

C/T12 724150
W135 · D120 · H92
top opening diameter 120
1 ~ 4cups

V60 metal dripper

Special metal design series for the V60 Coffee Dripper.

This is the metal series of the V60 Dripper. This stainless steel dripper has 3 colors including silver, black and copper. We also have an authentic copper dripper as well. The light yet durable metal dripper has good thermal conductivity, which makes it quick to warm up during extraction, and helps to drip efficiently



For microwave



Do not expose to direct flame

V60 coffee server



VCS-01B

C/T24 019119
W162 · D114 · H110
top opening diameter 92
practical capacity (Below band) 450ml
microwave safe including lid



VCS-02B

C/T24 019126
W180 · D125 · H133
top opening diameter 92
practical capacity (Below band) 700ml
microwave safe including lid



VCS-03B

C/T24 019133
W185 · D137 · H157
top opening diameter 92
practical capacity (Below band) 1,000ml
microwave safe including lid



XVD-36B

C/T24 019805
W130 · D107 · H106
top opening diameter 85
practical capacity 360ml
1 ~ 3cups
microwave safe including lid



XVD-60B

C/T24 019812
W137 · D121 · H128
top opening diameter 85
practical capacity 600ml
2 ~ 5cups
microwave safe including lid



XVD-80B

C/T24 019829
W143 · D132 · H145
top opening diameter 85
practical capacity 800ml
2 ~ 6cups
microwave safe including lid



XGS-36TB

C/T24 020108
W130 · D107 · H99
top opening diameter 77
practical capacity 360ml
1 ~ 3cups
microwave safe including lid



XGS-60TB

C/T24 020115
W145 · D121 · H120
top opening diameter 77
practical capacity 600ml
2 ~ 5cups
microwave safe including lid



XGS-80TB

C/T24 020122
W150 · D129 · H138
top opening diameter 77
practical capacity 800ml
2 ~ 6cups
microwave safe including lid

A decanter that is safely designed and compatible with commercial machines.

A spout made of resin which is easy to pour and has good water flow. The lid is a single-push type that enables easy opening and closing. The handle is a safe two-banded design. With a heatproof glass, the decanter is safe for hot water dishwashers, keeping the decanter's sanitary conditions.



Includes dettachable cap.



Large opening that is easy to wash.



For hot drink



CDH-18CBR

C/T12 171527
W210 · D165 · H173
top opening diameter 90
practical capacity (Below band) 1,800ml



Easy to pour, coffee drip kettle with a slim spout.

The drip kettle with a slim spout which makes it easier to control the amount and speed of the hot water being poured, which will be useful when pouring yourself a delicious cup of coffee.

Coffee kettle



Compatible with IH Cooking Heaters.

※ VKB-90CP is not compatible with IH Cooking Heaters.



VKB-100HSV

C/T12 021136
W295 · D144 · H130
top opening diameter 77
practical capacity 600ml



VKB-120HSV

C/T12 021006
W274 · D144 · H147
top opening diameter 77
practical capacity 800ml



VKB-90CP

C/T6 021044
W285 · D126 · H145
top opening diameter 71
practical capacity 600ml

Caution : Handle may become hot when holding hot water or heated to boil water.



40 sheets

VCF-01-40W

C/T10 × 30 723214
1 ~ 2cups



40 sheets

VCF-02-40W

C/T10 × 24 723221
1 ~ 4cups



40 sheets

VCF-03-40W

C/T10 × 18 723238
1 ~ 6cups



40 sheets

VCF-01-40M

C/T10 × 30 723245
1 ~ 2cups



40 sheets

VCF-02-40M

C/T10 × 24 723252
1 ~ 4cups



40 sheets

VCF-03-40M

C/T10 × 18 723269
1 ~ 6cups



100 sheets

VCF-01-100MK

C/T5 × 20 723801
1 ~ 2cups



100 sheets

VCF-02-100MK

C/T5 × 16 723818
1 ~ 4cups



100 sheets

VCF-01-100W

C/T150 723313
1 ~ 2cups



100 sheets

VCF-02-100W

C/T120 723320
1 ~ 4cups



100 sheets

VCF-03-100W

C/T100 723337
1 ~ 6cups



100 sheets

VCF-01-100M

C/T150 723344
1 ~ 2cups



100 sheets

VCF-02-100M

C/T120 723351
1 ~ 4cups



100 sheets

VCF-03-100M

C/T100 723368
1 ~ 6cups

It is now easy to purchase and easy to use.

A convenient earflap is added for opening the filter.



new
VCF-02-100W-JW

C/T120 (10 × 12) 726666
1 ~ 4cups (02size)

100 sheets



new
VCF-02-100M-JW

C/T120 (10 × 12) 726659
1 ~ 4cups (02size)

100 sheets



Lovedori means to make a cup of coffee for someone from your heart.

Pouring a cup of regular coffee takes some effort, but this is why they enjoy it when you pour it for somebody. It will surely make you and the others happy.



VCFL-02-20W

C/T300 (10 × 30) 726314
1 ~ 4cups (02size)

20 sheets




We aimed for an easy to use paper filter holder.

The slope at the bottom makes it easy to take out the paper filter. Small contact surface between the paper filter and the stand keeps it sanitary. 100 sheets of paper filter can be stored in this holder.



VPS-100W

C/T24 723924
W165 · D68 · H100



Very little surface contact keeps it clean.



The body is sloped on the bottom, making it easy to take out the filter papers.

Important preparations before brewing coffee.

All manual coffee grinders use mills made of ceramic. Ceramic mill makes it difficult to generate heat through friction, which prevents damage to the coffee grounds due to heat. Coffee mill size, material and variations are all important items for deliciously brewed coffee.



MSS-1B

C/T24 707405
W150 · D72 · H220
top opening diameter 70
coffee grounds 24g 2cups



new MCD-2

C/T12 707337
W143 · D88 · H208
coffee grounds 35 g



CM-502C

C/T12 707467
W152 · D104 · H231
coffee grounds 40g



new MCS-1

C/T12 707344
W148 · D98 · H210
top opening diameter 81
coffee grounds 10 g



MSCS-2TB

C/T12 707108
W172 · D93 · H231
top opening diameter 90
coffee grounds 100 g



A washable grinder.

Stationary coffee grinder

This transparent body grinder can be fixed firmly to the table with a suction base that is activated by turning the lever on the side. Even without the use of the suction base, the bottom of the coffee mill is made of silicone rubber, so that is as stable while grinding. The handy size is based on the size of a paperback book, and you can store the handle inside the body to save space.

Coffee mill



Can be secured by turning the lever.



The handle can be stored inside the body.



The paperback book size makes it easily storable in a bookshelf.



MM-2

C/T24 707504
W160 · D100 · H185
top opening diameter 79
coffee grounds 24g



new

CMHN-4

C/T20 707320
W208 · D105 · H215
top opening diameter 79
coffee grounds 120 g
The glass is not heat proof glass.



MXR-2TB

C/T12 707627
W175 · D75 · H175
coffee grounds 40g



V60 coffee maker

Pursuing the great taste of pour over coffee.

We pursued the delicious flavors of pour over coffee as much as possible in our V60 Coffee King Coffee Maker. With the stable brewing of the V60 drip coffee, you can easily enjoy pour over coffee in your own home.




EVCM-5B

C/T2 403109
W230・D240・H327
the most small capacity 300ml
the maximum capacity 750ml
2 ~ 5cups



21 drip points that enables hot water can be poured onto the entire surface of the coffee grounds.



High temperature extraction system. Water in the tank is circulated and heated to 65°C then passes through the heater to the drip holes. Hot water from the drip holes rises to about 95°C and then reaches the optimum temperature of about 93°C inside the dripper. Using this hot water, the procedure includes 30 seconds of moistening, followed by roughly 3 minutes of dripping. A dual layered tank is employed for high thermal insulation.

Coffee accessory



Heatproof shot glasses for professional use.

This is a simple heatproof shot glass designed for use with commercial espresso machines.



For hot drink



SGS-80

C/T6 × 8 240834
 φ 60 · H 70
 top opening diameter 60
 full capacity 80ml



SGS-140

C/T6 × 8 240841
 φ 69 · H 90
 top opening diameter 69
 full capacity 140ml

Canister



For hot drink



new

MCN-200R

C/T24 413672
 φ 99 · H 142
 top opening diameter 96
 coffee grounds 200 g
 full capacity 800ml



MCN-200B

413627



new

MCN-300R

C/T24 413689
 φ 99 · H 189
 top opening diameter 96
 coffee grounds 300 g
 full capacity 1,000ml



MCN-300B

413634

Coffee accessory V60 UCHI Mug

Stainless steel mug with a dual layer vacuum thermal insulating structure.

Adopting a lid with a drink spout, you can enjoy your freshly dripped coffee without losing its heat.



Sectional view: dual layer vacuum thermal insulating structure.



By taking off the lid, you can directly hand drip coffee into it.



Lid with a drink spout



new

VUW-35HSV

C/T24 222212

φ 74 · H 156

top opening diameter 70

practical capacity 350ml



new

VUW-35B

222229

Drip scale

Requirements for brewing delicious coffee.

In order to brew delicious coffee, extraction quantity and extraction time is essential. The V60 drip scale is used to simultaneously measure both of these factors. *The V60 metal drip scale is equipped with a rechargeable battery and has a backlight design.



Timer Scale

Both extraction quantity and extraction time can be measured simultaneously.



The stainless weighing platform can be removed by turning.



Due to its thinness, compact storage is possible.



Dirt is easily wiped off, and care for the device is simple.



VST-2000B

C/T20 021211
W 120 · D 190 · H 29
Unit of display : 2 ~ 2000 g
Maximum count up time :
99 minutes 59 seconds



new

VSTM-2000HSV

C/T20 021310
W 120 · D 175 · H 31
Unit of display : 2 ~ 2000 g
Maximum count up time :
99 minutes 59 seconds



M-12SV

C/T48 716223
W 96 · D 53 · H 35
Full capacity 12g



M-12CP

C/T48 716230



VAS-1

C/T12 021235
W195 · D140 · H215



new

VAS-8006-G

C/T6 021327
W190 · D155 · H250



VAS-8006-HSV

C/T6 021242
W190 · D155 · H250



A coffee drip stand for pour over.



VSS-1T
C/T12 021228
W132 · D140 · H180

The V60 drip scale can be set together and used.



Olive wood



VSS-1-OV
C/T6 021204
W145 · D160 · H230



VSS-1206-OV
C/T6 021259
W156 · D160 · H248





The V60 drip scale can be set together and used.

Due to the slow extraction of coffee through the fine and delicate cotton flannel, it never compromises on the acidity, bitterness, and flavor from the bean's original characteristics. Furthermore, you will be able to feel the coffee's rich taste from the coffee oils, which is an advantage to this method.



Medium grind coffee grounds



Let the coffee grounds expand.



Cloth filter : Cotton flannel

● After using the filter cloth, please rinse thoroughly. Place the filter in a container with clean water and store it inside the refrigerator.

※ This is to prevent oxidation of the oil of the remaining coffee grounds on the cloth filter.

※ The cloth filter can be replaced.



For hot drink



DPW-1

C/T12 331723
 ϕ 95 · H 168
 top opening diameter 93
 practical capacity 240ml
 1 ~ 2cups



DPW-3

C/T12 331730
 ϕ 110 · H 195
 top opening diameter 101
 practical capacity 480ml
 3 ~ 4cups

Nel drip Olive wood series



For hot drink



DPW-1-OV

C/T12 131811
 ϕ 95 · H 168
 top opening diameter 93
 practical capacity 240ml
 1 ~ 2cups



DPW-3-OV

C/T12 131828
 ϕ 110 · H 195
 top opening diameter 101
 practical capacity 480ml
 3 ~ 4cups



Olive wood series



For hot drink



new

VCWN-40-OV

C/T24 019324
W 177 · D 118 · H 104
top opening diameter 88
practical capacity 400ml



new

VCWN-60-OV

C/T24 019331
W 182 · D 128 · H 121
top opening diameter 88
practical capacity 600ml

Coffee server

Press coffee

Because the coffee press can extract coffee oil, which is the flavor ingredient in coffee, you can enjoy the individuality of the coffee beans. The olive wood design creates an atmosphere of luxury and relaxation.



For hot drink



CPSW-2-OV

C/T12 153714
W 114 · D 80 · H 170
top opening diameter 73
practical capacity 300ml
2cups



CPSW-4-OV

C/T12 153721
W 133 · D 95 · H 186
top opening diameter 90
practical capacity 600ml
4cups



DGC-40-OV

C/T12 221901
φ 128 · H 224
top opening diameter 99
practical capacity 400ml
3cups



Authentic coffee made stylishly.

The dripper is based on the V60 cone shape. You can enjoy the ease of paper filter drip and the flavors of a cloth filter drip. The silicone band can be removed and washed. The dripper is designed to stand by itself.



For hot drink



VDD-02B

C/T12 142558
W 135 · D 125 · H 198
top opening diameter 115
practical capacity (Below band) 700ml
1 ~ 4cups



Extract the coffee with a simple press. The coffee press.

Place the coarse coffee grounds, and let it moisten in boiling water for approximately one minute. The longer the moistening time, the richer the taste will be.

※ Pour the boiling water gently along the wall of the glass. Press the knob down slowly after approximately two minutes.



For hot drink



CPSS-2-TB

C/T24 153608
W113 · D78 · H172
top opening diameter 74
practical capacity 240ml
1 ~ 2cups



CPSS-2-R

153615

Authentic aroma without paper filters.

Introducing a specialized stainless mesh that can extract coffee oil which is one of the components of coffee's great flavor. This enables to enjoy the true aroma unique to coffee.



Dripper structure



Compact storage



Graduated measuring scale inside.



For hot drink



CFOD-1B

C/T24 171404
W115・D110・H82 (アタッチメント含む)
1cup



CFO-1B

C/T24 171077
W118・D96・H148
top opening diameter 82
practical capacity 200ml
1cup



CFOD-02-B

C/T24 171473
W121・D135・H105
1 ~ 41 cups



CFOD-02-R

171626



For hot drink



CFO-2B

C/T24 171008
W150・D105・H171
op opening diameter 96
practical capacity 300ml
2cups



put in the coffee grounds



Start pour over



Close the lid and directly pour.



Coffee

A coffee syphon with an outstanding presentation effect.

While enjoying a rich aroma, you can also visually enjoy the coffee moving up and down through the glass bowl. If the extraction times are the same, there is little difference in flavor, making this apparatus a favorite amongst professionals.



MCA-3

C/T10 525016
W165 · D115 · H290
top opening diameter 72 (Upper)
practical capacity 360ml
3cups



TCA-2

C/T12 503014
W160 · D95 · H320
top opening diameter 87 (Upper)
practical capacity 240ml
2cups



TCA-3

C/T12 503113
W160 · D95 · H333
top opening diameter 87 (Upper)
practical capacity 360ml
3cups



TCA-5

C/T12 503212
W160 · D110 · H360
top opening diameter 101 (Upper)
practical capacity 600ml
5cups



DA-1SV

C/T12 511002
W138 · D88 · H188
top opening diameter 67 (Upper)
practical capacity 120ml
1cup



New Style Coffee Syphon.

The Coffee Syphon Next and the Coffee Syphon Hario Sommelier has a stainless metal filter and cloth filter set up. The Coffee Syphon Hario Sommelier is different from past syphons, as it is designed in the image of a wine decanter, so that you can enjoy the aroma of the coffee.



※ The handle is made of rubber and gives you a firm grip.

NXA-5

C/T12 502918
W115 • D180 • H390
top opening diameter 109 (Upper)
practical capacity 600ml
5cups

* Comes with a metal filter and a cloth filter.



SCA-5

C/T4 502901
W150 • D186 • H355
top opening diameter 130 (Upper)
practical capacity 600ml
5cups

* Comes with a metal filter and a cloth filter.



RCR-50

C/T6 536302
W264 • D139 • H190
top opening diameter 100
Raw beans 50 g



Every drop gives birth to the finest coffee.

The slow drip thoroughly extracts the flavor of the coffee. It is designed with interior decoration in mind. The dripping rate can be adjusted by turning the faucet.



Moisten the coffee grounds before extracting.



Use the faucet to adjust dripping rate.



For hot drink



WDC-6

C/T6 163201
W150 · D129 · H455
top opening diameter 77
finished capacity 780ml
2 ~ 6cups



WDW-6

C/T6 163225
W205 · D135 · H475
77
finished capacity 780ml
2 ~ 6cups



For hot drink



PTN-5BZ

C/T6 163379
W190 · D170 · H290
top opening diameter 82
practical capacity 600ml
5cups



Place coffee grounds.



The faucet makes it easy to use.





Special coffee starts with the first drip.

The water drips for 5 hours, extracting 2000ml of coffee into two flasks. The dripping rate during extraction can be adjusted using the faucet located on both sides.



For hot drink

WDW-20

C/T1 163232
W290 • D230 • H980
top opening diameter 105 (Upper)
finished capacity 2,000ml
20cups

Filter-in Coffee Bottle

Cold Brewed Coffee



Wine bottle shaped cold-brewed coffee bottle.

Just by adding coffee grounds and water, you can make iced coffee. Put coffee grounds in the strainer, and place the lid. Set the spout and pour small amounts of water inside. Once the water is poured, put the stopper and gently shake the bottle to start the extraction. Refrigerate for approximately 8 hours for the cold-brew to complete.



The strainer can be removed. The upper parts are designed to put a lid on the bottom strainer.



Align the strainer with the spout.



Pour directly.



new

FIC-70-MC

C/T24 033436
W87 • D84 • H300
top opening diameter 71
finished capacity 650ml
5cups only



new

FIC-70-CBR

033443

Just shake it, and make foamed milk.

A manual shaker type milk creamer. Fill the cup with cold milk up to the measurement marking. Set up the filter and the upper and lower cups and shake well for about 20 ~ 30 seconds. This will make a smooth foamed milk for cappuccinos and lattes. By transferring the foam milk inside a microwave safe container and heating it up, you can enjoy it with hot drinks as well.



LS-70-OW

C/T24 402768
 φ 72 · H 173
 top opening diameter 68
 practical capacity - milk 70ml
 (This can make foamed milk for 2 cups of cappuccino.)



LS-70-PC

402799



Pour cold milk up to the measurement marking.



shake well for about 20 ~ 30 seconds.



Top off your favorite drink.



CZ-1

C/T24 402737
 φ 75 · H 221

Fluffed up milk in a blink of an eye.

Microwave milk until it is 40 ~ 60 °C . Use the following guidelines - 500W approximately 50-60 seconds, 600W approximately 40-50 seconds. Tilt slightly and press the button, foaming the milk for 30-40 seconds. This will make smooth foamed milk for cappuccinos and lattes.



Milk measurement marking visible from the inside.



The lid can be used as an equipment holder.



Can be poured directly into a cup.



For microwave



CQT-45

C/T24 402751
 W 145 · D 105 · H 205
 top opening diameter 81
 practical capacity - milk 100ml
 (This can make foamed milk for 3 cups of cappuccino.)