

Coffee



V60 Coffee Dripper

Widely recognized around the world, the V60 pour over

Why the cone shape?

The cone shaped paper filter adds depth to the coffee layer, so that the water flows to the center, expanding the amount of time the water is in contact with the ground coffee.



VD-01W

C/T48 724204
W115 • D100 • H82
top opening diameter 95
1 - 2cups



VD-01R

724228



VD-02W

C/T48 724303
W137 • D116 • H102
top opening diameter 116
1 - 4cups



VD-02R

724327



VD-01T

C/T48 723016
W115 • D100 • H82
top opening diameter 95
1 - 2cups



VD-02T

C/T48 723023
W137 • D116 • H102
top opening diameter 116
1 - 4cups



VD-03T

C/T36 723030
W157 • D137 • H122
top opening diameter 137
1 - 6cups



For hot drink



VDG-01W

C/T24 724402
W124 • D110 • H78
top opening diameter 97
1 - 2 cups



VDG-01R

724464



VDG-01B

724419



VDG-02W

C/T24 724426
W128 • D115 • H95
top opening diameter 115
1 - 4 cups



VDG-02R

724471



VDG-02B

724433



VDG-03B

C/T24 724525
W165 • D138 • H115
top opening diameter 136
1 - 6 cups

V60 Glass Dripper

V60 Ceramic Dripper



VDC-01W

C/T40 723115
W119 • D100 • H82
top opening diameter 95
1 - 2 cups



VDC-01R

724013



VDC-02W

C/T36 723122
W140 • D120 • H102
top opening diameter 116
1 - 4 cups



VDC-02R

724037



For microwave



Do not expose to
open flames



new

XVDD-3012W

C/T12 020290
W140 • D121 • H210
Dripper : 1 - 4 cups

Pot : practical capacity 600ml



VDS-3012R

C/T12 142268
W130 • D107 • H174
Dripper : 1 - 2 cups

Pot : practical capacity 360ml



new

CCS-1W

C/T24 040663
Cup : W117 • D 95 • H 65
top opening diameter 95
Saucer : ϕ 140
Cup : full capacity 150ml



new

CCS-5012W

C/T12 040670

V60 Metal Dripper



VDM-02HSV

C/T12 724129
W145 • D120 • H90
top opening diameter 120
1 - 4cups



VDM-02BC

724136



VDM-02CP

724143



VDP-02CP / VDPC-02CP

C/T12
W135 • D120 • H92
top opening diameter 120
1 - 4cups



For hot drink



new

VPD-02HSV

C/T12 142053
W 160 • D 125 • H 200
top opening diameter 115
Pot : practical capacity 700ml



V60 Coffee Server



For microwave



Do not expose to
open flames



VCS-01B

C/T24 019119
W162 • D114 • H110
top opening diameter 92
practical capacity (below band) 450ml
microwave safe including lid



VCS-02B

C/T24 019126
W180 • D125 • H133
top opening diameter 92
practical capacity (below band) 700ml
microwave safe including lid



VCS-03B

C/T24 019133
W185 • D137 • H157
top opening diameter 92
practical capacity (below band) 1,000ml
microwave safe including lid



XVD-36B

C/T24 019805
W130 • D107 • H106
top opening diameter 85
practical capacity 360ml
1 - 3cups
microwave safe including lid



XVD-60B

C/T24 019812
W137 • D121 • H128
top opening diameter 85
practical capacity 600ml
2 - 5cups
microwave safe including lid



XVD-80B

C/T24 019829
W143 • D132 • H145
top opening diameter 85
practical capacity 800ml
2 - 6cups
microwave safe including lid



XGS-36TB

C/T24 020108
W130 • D107 • H99
top opening diameter 77
practical capacity 360ml
1 - 3cups
microwave safe including lid



XGS-60TB

C/T24 020115
W145 • D121 • H120
top opening diameter 77
practical capacity 600ml
2 - 5cups
microwave safe including lid



XGS-80TB

C/T24 020122
W150 • D129 • H138
top opening diameter 77
practical capacity 800ml
2 - 6cups
microwave safe including lid



40 sheets

VCF-01-40W

C/T1 0×30 723214
1 - 2cups



40 sheets

VCF-02-40W

C/T1 0×24 723221
1 - 4cups



40 sheets

VCF-03-40W

C/T1 0×18 723238
1 - 6cups



40 sheets

VCF-01-40M

C/T1 0×30 723245
1 - 2cups



40 sheets

VCF-02-40M

C/T1 0×24 723252
1 - 4cups



40 sheets

VCF-03-40M

C/T1 0×18 723269
1 - 6cups



100 sheets

VCF-01-100MK

C/T 5×20 723801
1 - 2cups



100 sheets

VCF-02-100MK

C/T 5×16 723818
1 - 4cups



100 sheets

VCF-01-100W

C/T150 723313
1 - 2 cups



100 sheets

VCF-02-100W

C/T120 723320
1 - 4 cups



100 sheets

VCF-03-100W

C/T100 723337
1 - 6 cups



100 sheets

VCF-01-100M

C/T150 723344
1 - 2 cups



100 sheets

VCF-02-100M

C/T120 723351
1 - 4 cups



100 sheets

VCF-03-100M

C/T100 723368
1 - 6 cups



Lovedori means to make a cup of coffee for someone from your heart

Pour over coffee takes some effort, but this is the reason it tastes so good. Enjoy this experience with somebody, and it will surely make everyone happy.



VCFL-02-20W

C/T300 (10 × 30) 726314
1 - 4cups (02size)

20 sheets




We aimed for an easy to use paper filter holder

The slope at the bottom makes it easy to take out the paper filter. Small contact surface between the paper filter and the stand keeps it sanitary. 100 sheets of paper filters can be stored in this holder.



VPS-100W

C/T24 723924
W165 • D68 • H100



Very little surface contact keeps it clean.



The body is sloped on the bottom, making it easy to take out individual filters.

Canister



For hot drink



MCN-200R

C/T24 413672
φ 99 • H 142
top opening diameter 96
coffee grounds 200 g
full capacity 800ml



MCN-200B

413627



MCN-300R

C/T24 413689
φ 99 • H 189
top opening diameter 96
coffee grounds 300 g
full capacity 1,000ml



MCN-300B

413634



V60 Coffee Kettle

Easy to pour, coffee drip kettle with a slim spout

This drip kettle with a slim spout makes it easier to control the amount and speed of hot water being poured, making it useful when brewing a V60.

Compatible with IH Cooking Heaters.



VKB-100HSV

C/T12 021136
W295 • D144 • H130
top opening diameter 77
practical capacity 600ml



VKB-120HSV

C/T12 021006
W274 • D144 • H147
top opening diameter 77
practical capacity 800ml



V60 Coffee Kettle Copper



VKBN-90CP

C/T6 021099
W290 • D126 • H145
top opening diameter 71
practical capacity 700ml



V60 Drip Thermometer

Know accurate temperature while pouring with a V60 Drip Kettle

The key to brewing tasty hand dripped coffee is managing the weight, time and temperature. The V60 Drip Thermometer allows for thermometry even while dripping. Measure the temperature at the root of the nozzle.

Compatible with the VKB-100HSV, VKB-120HSV, and EVKB-80HSV



VTM-1B (Display in Celsius)
VTM-1B-U (Display in Fahrenheit)

C/T24 021181 (1B) / 021198 (1B-U)

[Thermometer]

W 45 · D 107 · H 140

[Thermometer+ Lid]

W 83 · D 107 · H 140



The thermometer and lid are detachable.



Real time digital display



Measure the temperature at the root of the nozzle.



EVKB-80-HSV

C/T6

W 295 · D 156 · H 175

top opening diameter : 77

capacity : minimum 150ml maximum 800ml



The electric kettle with temperature control is newly launched.

Feel your taste change by only 1°C difference.

This is the electric kettle for hand dripping with the temperature control from 60°C to 96°C.



new

EVKT-80-HSV

C/T6

W 300 • D 190 • H 185

top opening diameter : 77

capacity : minimum 300ml maximum 800ml



An enamel drip kettle makes its appearance.

The thin spout drip kettle enables you to easily control the amount and speed of water, useful for brewing delicious coffee. Enjoy the natural atmosphere produced by the combination of enamel and natural wood.



Induction heater (IH) and direct flame are available.



The thin spout is suitable for dripping.



new

BDK-80-W

C/T6 021501
W 280 • D 136 • H 170
top opening diameter 77
practical capacity 800ml



new

BCN-100-W

C/T12 413726
φ 102 • H 72
top opening diameter 102
full capacity 400ml
practical capacity : tea leaves • coffee grounds/ 100g(approx.)



new

BCN-200-W

C/T12 413733
φ 102 • H 143
top opening diameter 102
full capacity 800ml
practical capacity : tea leaves • coffee grounds/ 200g(approx.)



For hot drink



SGS-80

C/T 6 × 8 240834
 φ 60 • H 70
 top opening diameter 60
 full capacity 80ml



SGS-140

C/T 6 × 8 240841
 φ 69 • H 90
 top opening diameter 69
 full capacity 140ml



For microwave



Do not expose to
open flames



new

GS-45-T

C/T24 020207
 W 150 • D 116 • H 105
 top opening diameter 82
 practical capacity : 450ml



new

GS-70-T

C/T24 020214
 W 160 • D 125 • H 124
 top opening diameter 82
 practical capacity : 700ml

A Coffee pot designed with safety in mind, and compatible with commercial machines

A spout made of resin which is easy to pour and has good water flow.
 The lid is a single-push type that enables easy opening and closing.
 The handle is a safe two-banded design. Made with heatproof glass,
 this coffee pot is dishwasher safe.



Includes dettachable
cap.



Large opening that is
easy to wash.



For hot drink



CDH-18CBR

C/T12 171527
 W210 • D165 • H173
 top opening diameter 90
 practical capacity (below band) 1,800ml

Coffee Mill

Important preparations before brewing coffee

All manual coffee grinders use mills made of ceramic. Ceramic mills keep the temperature down when grinding and can be easily rinsed with no potential rusting. Coffee mill size, material and variations are all important items for deliciously brewed coffee.



MSS-1B

C/T24 707405
W150 · D72 · H220
top opening diameter 70
coffee grounds 24g 2cups
Washable burr



MCD-2

C/T12 707337
W143 · D88 · H208
coffee grounds 35g



CM-502C

C/T12 707467
W152 · D104 · H231
coffee grounds 40g



MSCS-2TB

C/T12 707108
W172 · D93 · H231
top opening diameter 90
coffee grounds 100g
Washable burr



MCS-1

C/T12 707344
W148 · D98 · H210
top opening diameter 81
coffee grounds 10g



MM-2

C/T24 707504
W160 · D100 · H185
top opening diameter 79
coffee grounds 24g



CMHN-4

C/T20 707320
W208 · D105 · H215
top opening diameter 79
coffee grounds 120g

The glass is not heatproof glass.



MXR-2TB

C/T12 707627
W183 · D75 · H175
coffee grounds 40g
Washable burr

Ceramic and olive wood coffee mill

This coffee mill features a combination ceramic hopper and olive wood container, highlighting a balance between nature and design.



MCW-2-OV

C/T12 707375
W 167 • D 85 • H 215
coffee grounds 30g
Washable burr



Choose the fineness of coffee grounds you like by turning the control knobs.



The slim middle makes it easy to grip while grinding the coffee.



The particle size of coffee grounds determines the flavor of a cup of coffee.

Particle size can be adjusted with 44 grind settings according to your taste, from medium fine to coarse grind, the best for hand dripping.



new

V60 Electric Coffee Grinder
EVCG-8B

C/T2
W 133 • D 220 • H 390
coffee grounds 240g



A coffee drip stand for pour over



DSC-1T

C/T12 021297
W 170 • D 134 • H 160



DSC-1TB

021303



VSS-1T

C/T12 021228
W 132 • D 140 • H 180

The V60 drip scale can be set together and used.



VSA-1SV

C/T12 021372
W 120 • D 136 • H 168



VSA-1B

021396



VSA-1GD

021389



VSA-1006-SV

C/T6 021402
W 120 • D 150 • H 220



VAS-1

C/T12 021235
W 195 • D 140 • H 215



VAS-8006-G

C/T6 021327
W 190 • D 155 • H 250



VAS-8006-HSV

C/T6 021242
W 190 • D 155 • H 250

Olive Wood Series



VSS-1-OV

C/T6 021204
W 145 • D 160 • H 230



VSS-1206-OV

C/T6 021259
W 156 • D 160 • H 248



Coffee Stand

This drip stand allows you to adjust its height according to the server size.



new
VPOS-1506-SV

C/T6 142701
W 150 • D 150 • H 262




Suitable for 01 – 03 size of coffee server and dripper.



The V60 drip scale can be set together and used.

Stainless steel mug with dual layer thermal vacuum insulation.

Adopting a lid with a drink spout, you can enjoy your freshly dripped coffee without losing its heat.



VUW-35HSV

C/T24 222212
 ϕ 74 • H 156
 top opening diameter 70
 practical capacity 350ml



VUW-35B

222229



Sectional view: dual layer vacuum thermal insulating structure.



By taking off the lid, you can directly hand drip coffee into it.



Lid with a drink spout



The liquid does not spill out even if it is tilted, allowing you to carry it with you.

V60 Soto Mug with vacuum insulating double wall enables you to carry freshly-brewed hot coffee, since you can remove its lid and place a dripper there. You can also carry iced coffee keeping it cold.



Lid with a drink spout



new

VSW-35HSV

C/T24 222311
 W 79 • D 69 • H 177 □径 55
 practical capacity 350ml



new

VSW-35B

222328



This double wall, stainless steel coffee server maintains the temperature of the coffee.

A vacuum insulating double wall, stainless steel coffee server is introduced to allow for greater enjoyment of delicious coffee for longer. It is designed to fit the V60 dripper for the tastiest coffee.



new

VHS-60W

C/T12 220560
W 161 • D 127 • H 142
top opening diameter 80
practical capacity 600ml
2 - 5 cups



new

VHS-60R

220577



new

VHS-60B

220584



new

VHS-80B

C/T12 220591
W 164 • D 132 • H 162
top opening diameter 80
practical capacity 800ml
2 - 6 cups




V60 Drip Scale

Requirements for brewing delicious coffee

In order to brew delicious coffee, quantity and extraction time are essential. The V60 drip scale is used to simultaneously measure both of these factors.

*The V60 metal drip scale is equipped with a rechargeable battery and has a backlight design.



Both extraction quantity and extraction time can be measured simultaneously.



Due to its thinness, compact storage is possible.



The stainless weighing platform can be removed by turning.




Dirt is easily wiped off, and care for the device is simple.



VST-2000B

C/T20 021211
W 120 • D 190 • H 29
unit of display : 2 - 2000 g
maximum count up time :
99 minutes 59 seconds



VSTM-2000HSV

C/T20 021310
W 120 • D 175 • H 31
unit of display : 2 - 2000 g
maximum count up time :
99 minutes 59 seconds



M-12SV

C/T48 716223
W 96 • D 53 • H 35
full capacity 12g



M-12CP

C/T48 716230



new M-12C

C/T48 716674
W 85 • D 55 • H 40
full capacity 12g



new M-12WD

C/T48 716667
W 100 • D 57 • H 40
full capacity 12g

Authentic coffee made with style

The dripper is based on the V60 cone shape. You can enjoy the ease of the paper filter pour over, brewing directly into a carafe. The silicone band can be removed and washed. The dripper is designed to stand by itself.



VDD-02B

C/T12 142558
W 135 • D 125 • H 198
top opening diameter 115
practical capacity (below band) 700ml
1 ~ 4 cups



CPSS-2-TB

C/T24 153608
W113 • D78 • H172
top opening diameter 74
practical capacity 240ml
1 ~ 2 cups



CPSS-2-R

153615



Extract the coffee with a simple press The coffee press

Place coarse ground coffee, and moisten with boiling water for approximately one minute. The longer the moistening time, the richer the taste will be.

※ Pour the boiling water gently along the wall of the glass. Press the knob down slowly after approximately two minutes.



Cloth Drip

Due to the slow extraction of coffee through the fine and delicate cotton flannel, it never compromises on the acidity, bitterness, and flavor from the bean's original characteristics. Furthermore, you will be able to feel the coffee's rich taste from the coffee oils, which is an advantage to this method.



Medium grind coffee grounds



Let the coffee grounds expand.



Cloth filter : Cotton flannel

● After using the filter cloth, please rinse thoroughly. Place the filter in a container with clean water and store it inside the refrigerator.

※ This is to prevent oxidation of the oil of the remaining coffee grounds on the cloth filter.
 ※ The cloth filter can be replaced.



For hot drink



DPW-1

C/T12 331723
 φ 95 • H 168
 top opening diameter 93
 practical capacity 240ml
 1 - 2 cups



DPW-3

C/T12 331730
 φ 110 • H 195
 top opening diameter 101
 practical capacity 480ml
 3 - 4 cups

Cloth Drip Olive wood series



For hot drink



DPW-1-OV

C/T12 131811
 φ 95 • H 168
 top opening diameter 93
 practical capacity 240ml
 1 - 2 cups



DPW-3-OV

C/T12 131828
 φ 110 • H 195
 top opening diameter 101
 practical capacity 480ml
 3 - 4 cups



Olive wood series



For hot drink



VDG-01-OV

C/T24 724532
 φ120 • H 77
 top opening diameter 97
 1 - 2 cups



VDG-02-OV

C/T24 724549
 φ120 • H 95
 top opening diameter 115
 1 - 4 cups



For hot drink



VCWN-40-OV

C/T24 019324
 W 177 • D 118 • H 104
 top opening diameter 88
 practical capacity 400ml



VCWN-60-OV

C/T24 019331
 W 182 • D 128 • H 121
 top opening diameter 88
 practical capacity 600ml

Press Coffee

Because coffee presses extract coffee oils, a main flavor ingredient in coffee, you can enjoy the individuality of the coffee beans. The olive wood design creates an atmosphere of luxury and relaxation.



For hot drink



CPSW-2-OV

C/T12 153714
 W 114 • D 80 • H 170
 top opening diameter 73
 practical capacity 300ml
 2cups



CPSW-4-OV

C/T12 153721
 W133 • D95 • H186
 top opening diameter 90
 practical capacity 600ml
 4cups



DGC-40-OV

C/T12 221901
 φ 128 • H 224
 top opening diameter 99
 practical capacity 400ml
 3cups



Authentic aroma without paper filters

Introducing a specialized stainless mesh that can extracts coffee oil which is one of the components of coffee's great flavor. This enables you to enjoy the true aroma unique to coffee.



Dripper structure



Compact storage



Graduated measuring scale inside.



For hot drink



CFOD-1B

C/T24 171404
W 115 • D 110 • H 82 (includes the attachment)
1cup



CFO-1B

C/T24 171077
W118 • D96 • H148
top opening diameter 82
practical capacity 200ml
1cup



CFOD-02-B

C/T24 171473
W121 • D135 • H105
1 - 4 cups



CFOD-02-R

171626



For hot drink



CFO-2B

C/T24 171008
W150 • D105 • H171
top opening diameter 96
practical capacity 300ml
2cups



Put in the coffee grounds.



Start pour over.



Close the lid and directly pour.



An all stainless steel dripper with metal filter .

In the dripper, two finely etched mesh filters overlap. Appreciate the translucent liquid as if prepared with a paper filter, along with a rich flavor and a touch of the coffee's natural oils unique only to this metal filter.



The precision double mesh filter does not allow the finer coffee powder to pass through.



Coffee oil is extracted.



For hot drink



new

MDD-02SV

C/T12 060746
W 165 • D 123 • H 210
top opening diameter 116
practical capacity 700ml

A coffee syphon with outstanding presentation

While enjoying a rich aroma, you can also visually enjoy the coffee moving up and down through the glass bowl. If the extraction times are the same, there is little difference in flavor, making this apparatus a favorite amongst professionals.



MCA-3

C/T10 525016
W165 • D115 • H290
top opening diameter 72 (upper)
practical capacity 360ml
3cups



TCA-2

C/T12 503014
W160 • D95 • H320
top opening diameter 87 (upper)
practical capacity 240ml
2cups



TCA-3

C/T12 503113
W160 • D95 • H333
top opening diameter 87 (upper)
practical capacity 360ml
3cups



TCA-5

C/T12 503212
W160 • D110 • H360
top opening diameter 101 (upper)
practical capacity 600ml
5cups



DA-1SV

C/T12 511002
W138 • D88 • H188
top opening diameter 67 (upper)
practical capacity 120ml
1cup



New Style Coffee Syphon

The Coffee Syphon Next and the Coffee Syphon Hario Sommelier both come with the stainless metal and cloth filter assemblies. The Coffee Syphon Hario Sommelier is different from past syphons, as it is designed in the image of a wine decanter, so that you can enjoy the aroma of the coffee.



※The handle is made of rubber and gives you a firm grip.

NXA-5

C/T12 502918
W115 • D180 • H390
top opening diameter 109 (upper)
practical capacity 600ml
5 cups

* Comes with a metal filter and a cloth filter.



SCA-5

C/T4 502901
W150 • D186 • H355
top opening diameter 130 (upper)
practical capacity 600ml
5 cups

* Comes with a metal filter and a cloth filter.



RCR-50

C/T6 536302
W264 • D139 • H190
top opening diameter 100
raw beans 50 g



This drip-style cold brewed coffee device does not require speed adjustment.

When water is put into the upper bowl, it flows and drips from the two slits of the dripper. The water drips completely in 1-2 hours without speed adjustment, enabling the casual enjoyment of authentic cold brewed coffee.



The dripping structure does not require adjustment.



A beaker-shaped pot.



new **SBS-5B**

C/T12 163263
 φ 116 · H 360
 top opening diameter 73
 practical capacity 600ml
 5 cups

Every drop creates the finest coffee

The slow dripping thoroughly extracts the flavor of the coffee, with a design that easily compliments a modern interior. The coffee's strength can be changed by adjusting the faucet.



Moisten the coffee grounds before extracting.



Use the faucet to adjust dripping rate.



WDC-6

C/T6 163201
W150 • D129 • H455
top opening diameter 77
finished capacity 780ml
2 - 6 cups



WDW-6

C/T6 163225
W205 • D135 • H475
top opening diameter 77
finished capacity 780ml
2 - 6 cups



PTN-5BZ

C/T6 163379
W190 • D170 • H290
top opening diameter 82
practical capacity 600ml
5 cups



Place coffee grounds.



The faucet makes it easy to use.





“FURIKO,” an entirely new cold brewed coffee device.

“FURIKO, an entirely new cold brewed coffee device overturning the conventional idea of a water dripper, features short-time extraction. The track of the pendulum optimized for the V60 dripper shape makes it possible to complete extraction in 30 minutes.



new

WDF-6

C/T1 163386
W 205 • D 205 • H 985
top opening diameter 77
finished capacity 780ml
2 - 6 cups

Special coffee starts with the first drip

The water drips for 5 hours, extracting 2000ml of coffee into two flasks. The dripping rate during extraction can be adjusted using the faucet located on both sides.



WDW-20

C/T1 163232
 W290 • D230 • H980
 top opening diameter 105 (upper bowl)
 finished capacity 2,000ml
 20cups



Filter-in Coffee Bottle

Cold Brewed Coffee



Wine bottle shaped cold brew coffee bottle

Just by adding coffee grounds and water, you can make iced coffee. Put coffee grounds in the strainer, and place the lid. Set the spout and pour small amounts of water inside. Once the water is poured, put the stopper and gently shake the bottle to start the extraction. Refrigerate for approximately 8 hours for the cold-brew to complete.



The strainer can be removed. The upper parts are designed to put a lid on the bottom strainer.



Align the strainer with the spout.



Pour directly.



FIC-70-MC

C/T24 033436
W87 • D84 • H300
top opening diameter 71
finished capacity 650ml
5cups only



FIC-70-CBR

033443



Cold Brew Coffee

Cold brew coffee jug and pitcher

Just by adding coffee grounds and water, you can make iced coffee. Place coffee grounds in the strainer, and set the lid and spout. Slowly pour water into the carafe until full and refrigerate for approximately 8 hours for the cold brew to complete.



Pour coffee while the strainer is attached.
(CBS-10)



Attach the strainer to the spout.
(CBC-10)



Pour the coffee after removing the strainer.
(CBC-10)



CBS-10HSV

C/T24 036871
W 100 • D 94 • H 290
top opening diameter 88
finished capacity 1,000ml
8 cups only



CBC-10SV

C/T12 165021
W 152 • D 103 • H 310
top opening diameter 88
finished capacity 1,000ml
8 cups only

V60 Glass Iced Coffee Maker



V60 Glass Iced Coffee Maker

Iced coffee maker, in which coffee is cooled with ice while it drips. The long strainer containing ice cools the dripping coffee. This coffee maker is made with transparent materials only. Enjoy iced coffee with a clear taste in a cool manner!



For hot drink




A ring holder made of transparent silicon rubber is attached to the upper section of the dripper.

VIG-02T

C/T12 142671
W 165 • D 120 • H 235
top opening diameter 116
practical capacity 700ml

When you brew hot coffee, just remove the ice strainer.



Just shake it, and make foamed milk

A manual shaker milk frother. Fill the cup to the measurement mark with cold milk. Set up the filter and the upper and lower cups and shake well for about 20-30 seconds. This will make smooth, foamed milk for cappuccinos and lattes. By transferring the foam milk inside a microwave safe container and heating it up, you can enjoy it with hot drinks as well.



LS-70-OW

C/T24 402768
 ϕ 72 • H 173
 top opening diameter 68
 practical capacity - milk 70ml

(This can make foamed milk for 2 cups of cappuccino.)



LS-70-PC

402799



Pour cold milk up to the measurement marking.



Shake well for about 20-30 seconds.



Top off your favorite drink.

Fluffed up milk in a blink of an eye

Microwave milk until it is 40-60°C. Use the following guidelines-500W approximately 50-60 seconds, 600W approximately 40-50 seconds. Tilt slightly and press the button, foaming the milk for 30-40 seconds. This will make smooth foamed milk for cappuccinos and lattes.



CZ-1

C/T24 402737
 ϕ 75 • H 221



Milk measurement marking visible from the inside.



The lid can be used as an equipment holder.



Can be poured directly into a cup.



CQT-45

C/T24 402751
 W 145 • D 105 • H 205
 top opening diameter 81
 practical capacity - milk 100ml
 (This can make foamed milk for 3 cups of cappuccino.)