



HARIO

SINCE 1921

HARIO has been dedicated to the design and production of quality heatproof glass since its founding in 1921, and currently operates the only heatproof glass factory in Japan today.

HISTORY

Since 1921

HARIO began its history as a manufacturer of laboratory glassware. In 1948, we expanded our production to household items, starting with the coffee syphon. We also began producing lenses for automotive headlights in 1980. Today, HARIO continues to make a variety of items, from microwave-safe kitchenware and coffee and tea implements, to aromatherapy and pet products.



CLEAN FACTORY


A factory without chimneys

In 1972, HARIO transitioned to all electric melting furnaces in its factory. This glassmaking technology was pioneered by HARIO through much uncertainty, trial and error. At the time, glass factories were known for smoke and dust pollution, but HARIO's breakthrough led to safer conditions for the surrounding environment as well as for the workers inside.




HEAT PROOF GLASS


Ingredients of Heatproof Glass/ Recycling



Silica sand



Borax



Boric acid

+




Cullet

Recycled glass from within factory

▼
All electric melting furnace



<Diagram of a heated glass cup >



Heat causes glass to expand and contract. When a hot liquid is poured into a regular glass cup, the inner surface expands at a greater rate than the outer surface, causing it to break. The surfaces of heatproof glass expand and contract at similar rates regardless of which is closest to the heat source, preventing breakage.

Special characteristics of Hario's heatproof glass products

1. Microwave-safe
2. Prevents the transfer of odor and color
3. Dishwasher-safe


MORE ABOUT HARIO

玻璃王

HARIO (玻璃王) is Japanese for "king of glass". HARIO lives up to this name through its continued tradition of innovative, beautiful and high-quality heatproof glass.

Safe and Eco-friendly Heatproof Glass

HARIO glass is made with 100% natural minerals and is safe for your health and the environment. We add 100% natural salt to prevent bubbles from forming within the glass, making our products stronger and safer to use. Our glass is corrosion resistant as well as heatproof, for fully microwave-safe products.




HARIO headquarter in tokyo

COFFEE





HARIO

HAND BREWING EQUIPMENT



ACCESSORIES





MUGEN

V60 Single Pour Dripper MUGEN



A dripper that can brew coffee in a single pour.



new

VDMU-02-TB
C/T48 031302
W142 / D116 / H94
top opening diameter 116
1-2 cups
(plastic)



new

VDMU-02-CW
C/T24 031326
W143/ D117/ H95
top opening diameter 117
1-2 cups
(ceramics)





World Barista Collaboration





Odd-Steinar Tøllefsen

World Brewers Cup Champion 2015

Norwegian Brewers Cup Champion 2014 - 2017

Co-owner of Supreme Roastworks in Oslo.

Drink in coffee aroma like wine in a glass

MIOLOVE

MIOLOVE heightens the joy of your coffee drinking experience. The round tulip shape of the body will enhance the flavour and aroma of your chosen coffee.



new

OSM-270-B
C/T24 222854
φ77/ H106

top opening diameter 66
practical capacity 270ml



new

OSM-270-YEL
222861



new

OSM-270-BG
222878



Pete Licata

World Barista Championship Champion 2013

US Barista Championship Champion 2011

Nomado Coffee Group Consultant

Refinement beyond the benchmark V60

W60

After filtration through a resin mesh, a paper filter catches any remaining small particles. Double filtration means the coffee is incredibly clear but full of flavour.



new

PDC-02-W

C/T18 010086

W160/ D127 / H109

top opening diameter 116

1-4 cups

(ceramics)

Barista-quality V60 coffee for everyone

Drip-Assist

This helpful tool is designed to simplify the coffee brewing process.

Enjoy brewing coffee with the V60 Drip-Assist.



new

PDA-02-T
C/T36 010079
φ109/ H51
top opening diameter 87
1-4 cups



new

PDA-1524-T
C/T24 010062
W137/ D117/ H140
1-4 cups
includes 40 sheets of VCF-02W





2016 World Brewers Cup Champion Tetsu Kasuya has collaborated with HARIO to design a user-friendly mini kettle, thoughtfully designed cupping tools, and a specially formulated dripper for his "4:6 method" - a brewing method based on the concept of "delicious coffee anyone can make at home".

KASUYA SERIES

Designed by Tetsu Kasuya





new

KDD-02-HSV
C/T48 729001
W120 / D100 / H100
top opening diameter 90
1-4 cups



new

KPK-600-HSV
C/T12 010697
W270 / D150 / H127
top opening diameter 70
practical capacity 600ml



KDC-02-B
C/T36 010628
W140 / D120 / H102
top opening diameter
116
1-4 cups



KDK-300-MB
C/T24 010611
W165 / D90 / H100
top opening diameter 70
practical capacity 300ml



KDK-500-MB
C/T24 010666
W196 / D100 / H110
top opening diameter 80
practical capacity 500ml



KCB-260-B
C/T36 010635
φ93 / H65
top opening diameter
93
full capacity 260ml



KCS-1-MB
C/T48 010642
W166 / D44 / H26



Simply HARIO

"Simply Beautiful, Simply HARIO"

Pure beauty to nestle close to during a moment to cherish.

Relax and revitalize with Simply HARIO.



new

S-VGBK-02-T
C/T12 151376
W146 / D120 / H195
practical capacity 600ml
1-4 cups
includes 40 sheets of
VCF-02W



new

S-GCM-40-W
C/T24 151383
W132 / D110 / H164
top opening diameter 100
practical capacity 400ml



new

S-GTM-40-T
C/T24 151390
W124 / D82 / H158
top opening diameter 74
practical capacity 400ml



new

S-STP-600-W
C/T12 151413
W196 / D116 / H187
top opening diameter 101
practical capacity 600ml




new

S-GCN-200-OV
C/T24 151406
φ102/ H138
top opening diameter 96
full capacity 800ml



V60

SPECIAL FEATURES



Cone Shape

Spiral Ribs

Single Large Opening



Cone Shape

The cone shape holds coffee vertically, promoting maximum contact with water for optimal extraction.



Spiral Ribs

Spiral ribs for maximum coffee expansion.



Single Large Opening


The Larger opening allows water to flow easily, giving you greater control of brewing times to achieve different flavors.

TASTE

The V60 method results in milder coffee, and allows for a greater variety of recipes and flavors.

HOW TO USE

1




2



3



4



5



6





VD-01W
C/T48 724204
W115 / D100 / H82
top opening diameter 95
Coffee grounds 24g
(plastic)



VD-01R
724228



VD-02W
C/T48 724303
W137 / D116 / H102
top opening diameter 116
coffee grounds 48g
(plastic)



VD-02R
724327



VD-01T
C/T48 723016
W115 / D100 / H82
top opening diameter 95
coffee grounds 24g
(plastic)



VD-02T
C/T48 723023
W137 / D116 / H102
top opening diameter 116
coffee grounds 48g



VD-03T
C/T36 723030
W157 / D137 / H122
top opening diameter 137
coffee grounds 72g



VDG-01W
C/T24 724402
W124 / D110 / H78
top opening diameter 97
coffee grounds 24g
(heatproof glass)



VDG-01R
724464



VDG-01B
724419



VDG-02W
CT24 724426
W128 / D115 / H95
top opening diameter 115
coffee grounds 48g
(heatproof glass)



VDG-02R
724471



VDG-02B
724433



VDG-03B
C/T24 724525
W165 / D138 / H115
top opening diameter 136
coffee grounds 72g
(heatproof glass)





VDC-01W
C/T40 723115
W119 / D100 / H82
top opening diameter 95
coffee grounds 24g
(porcelain)



VDC-01R
724013



VDC-02W
C/T36 723122
W140 / D120 / H102
top opening diameter 116
coffee grounds 48g
(porcelain)



VDC-02R
724037



VDG-01-OV
C/T24 724532
φ120 / H77
top opening diameter 97
coffee grounds 24g
(heatproof glass)



VDG-02-OV
C/T24 724549
φ120 / H95
top opening diameter 115
coffee grounds 48g



VDM-02HSV
C/T12 724129
W145 / D120 / H90
top opening diameter 120
coffee grounds 48g
(stainless steel)



VDM-02-MB
726697



VDP-02CP
VDPC-02CP
C/T12 W135 / D120 / H92
top opening diameter 120
coffee grounds 48g
(copper)



DT-1W
CT36 723962
φ115 / H42
top opening diameter 115
practical capacity 120ml
(porcelain)



VPS-100W
CT24 723924
W165 / D68 / H100
For 100 sheets of
VCF paper filters
(porcelain)



01 Size Paper Filters
for 1-2 cups



40 sheets

VCF-01-40W
C/T10X30 723214
coffee grounds 24g



40 sheets

VCF-01-40M
C/T10X30 723245
coffee grounds 24g



100 sheets

VCF-01-100WK
C/T5X20 728769
coffee grounds 24g



100 sheets

VCF-01-100M
C/T5X20 723801
coffee grounds 24g



100 sheets

VCF-01-100W
C/T150 723313
coffee grounds 24g



100 sheets

VCF-01-100M
C/T150 723344
coffee grounds 24g

02 Size Paper Filters
for 1-4 cups



40 sheets

VCF-02-40W
C/T10X24 723221
coffee grounds 48g



40 sheets

VCF-02-40M
C/T10X24 723252
coffee grounds 48g



100 sheets

VCF-02-100WK
C/T5X16 728776
coffee grounds 48g



100 sheets

VCF-02-100M
C/T5X16 723818
coffee grounds 48g



100 sheets

VCF-02-100W
C/T120 723320
coffee grounds 48g



100 sheets

VCF-02-100M
C/T120 723351
coffee grounds 48g

03 Size Paper Filters
for 1-6 cups



40 sheets

VCF-03-40W
C/T10X18 723238
coffee grounds 72g



40 sheets

VCF-03-40M
C/T10X18 723269
coffee grounds 72g



100 sheets

VCF-03-100W
C/T100 723337
coffee grounds 72g



100 sheets

VCF-03-100M
C/T100 723368
coffee grounds 72g



VCS-01B
C/T24 019119
W162 / D114 / H110
top opening diameter 92
practical capacity 450ml



VCS-02B
C/T24 019126
W180 / D125 / H133
top opening diameter 92
practical capacity 700ml



VCS-03B
C/T24 019133
W185 / D137 / H157
top opening diameter 92
practical capacity 1,000ml



XVD-36B
C/T24 019805
W130 / D107 / H106
top opening diameter 85
practical capacity 360ml



XVD-60B
C/T24 019812
W137 / D121 / H128
top opening diameter 85
practical capacity 600ml



XVD-80B
C/T24 019829
W143 / D132 / H145
top opening diameter 85
practical capacity 800ml



XGS-36TB
C/T24 020108
W130 / D107 / H99
top opening diameter 77
practical capacity 360ml



XGS-60TB
C/T24 020115
W145 / D121 / H120
top opening diameter 77
practical capacity 600ml



XGS-80TB
C/T24 020122
W150 / D129 / H138
top opening diameter 77
practical capacity 800ml



VCWN-40-OV
C/T24 019324
W177 / D118 / H104
top opening diameter 88
practical capacity 400ml



VCWN-60-OV
C/T24 019331
W182 / D128 / H121
top opening diameter 88
practical capacity 600ml



VDD-02B
C/T12 142558
W135 / D125 / H198
top opening diameter 115
practical capacity
(below band) 700ml
includes 40 sheets of
VCF-02W



new
VHSN-60-W
 C/T12 220034
 W182 / D135 / H155
 top opening diameter 73
 practical capacity 600ml



new
VHSN-60-B
 220041



new
VHSN-80-W
 C/T12 220058
 W182 / D135 / H172
 top opening diameter 73
 practical capacity 800ml



new
VHSN-80-B
 220065



VHS-60W
 C/T12 220560
 W161 / D127 / H142
 top opening diameter 80
 practical capacity 550ml



VHS-60R
 220577



VHS-60B
 220584



VHS-80W
 C/T12 220973
 W164 / D132 / H162
 top opening diameter 80
 practical capacity 750ml



VHS-80B
 220591



HCD-2T
 C/T24 514164
 W111 / D90 / H138
 top opening diameter 72
 practical capacity 400ml



HCD-600T
 C/T24 514157
 W125 / D104 / H165
 top opening diameter 86
 practical capacity 600ml



VCND-02B-EX
 C/T18 728301
 W170 / D125 / H220
 practical capacity 600ml
 includes 40 sheets of
 VCF-02W



XVDD-3012W
 C/T12 020290
 W140 / D121 / H210
 practical capacity 600ml
 includes 100 sheets of
 VCF-02M



VDS-3012R
 C/T12 142268
 W130 / D107 / H174
 practical capacity 360ml
 includes 40 sheets of
 VCF-01M

IMMERSION DRIPPER

SPECIAL FEATURES

- 1.Extracts coffee by immersing ground coffee in hot water.
- 2.Allows anyone to extract coffee evenly.
- 3.Pour coffee with the press of a switch.

TASTE

Makes a clean and stable taste coffee with no sediment.
Favorite taste is easily reproducible by making a recipe.



HOW TO USE

1



2



3 wait 2 minutes



4





SSD-200-B
C/T12 728165
W118 / D115 / H133
top opening diameter 115
finished capacity 200ml
includes 40 sheets of VCF-02W



SSD-5012-B
C/T12 728172
W130 / D115 / H215
top opening diameter 115
dripper:finished capacity 200ml
server:practical capacity 300ml
includes 40 sheets of VCF-02W



NEL DRIP POT



SPECIAL FEATURES

- 1.You can achieve different flavors with different pour techniques.
- 2.Reusable cloth filter.
- 3.Traditional brewing method.

TASTE

The cloth filter allows for maximum bloom of your ground coffee, resulting in a rich and smooth cup.



DPW-1
C/T12 331723
φ95 / H168
top opening diameter 93
practical capacity 240ml



DPW-3
C/T12 331730
φ110 / H195
top opening diameter 101
practical capacity 480ml



DPW-1-OV
C/T12 131811
φ95 / H168
top opening diameter 93
practical capacity 240ml



DPW-3-OV
C/T12 131828
φ110 / H195
top opening diameter 101
practical capacity 480ml

STAINLESS STEEL DRIPPER



SPECIAL FEATURES

1. Same brewing method as V60.
2. Reusable filter.
3. Fewer coffee solids for a cleaner cup.

TASTE

Stainless steel filters allow coffee oils through into your cup that paper and cloth filters don't, resulting in a creamier mouthfeel.



DMD-01-HSV
C/T48 727960
W132 / D109 / H81
top opening diameter 94
coffee grounds 24g



DMD-02-HSV
C/T48 727977
W148 / D123 / H96
top opening diameter 108
coffee grounds 24g

FRENCH PRESS

SPECIAL FEATURES

1. Can be used for both coffee and tea.
2. Simplest and most effortless way to make hot coffee by hand.
3. No additional equipment or accessories needed to make coffee or loose leaf tea.


TASTE-COFFEE

Stainless steel filters allow coffee oils through into your cup that paper and cloth filters don't, which results in a creamier mouthfeel.

TASTE-TEA

Lowering the plunger halts the tea brewing process, making it easier to adjust the strength of your tea.

HOW TO USE





CPSS-2-TB (Black)
 C/T24 153608
 W113 / D78 / H172
 top opening diameter
 74
 practical capacity
 240ml



CPSS-2-R
 153615



THJ-2-HSV
 C/T12 105713
 W110 / D87 / H166
 top opening diameter
 73
 practical capacity
 300ml



THJ-4-HSV
 C/T12 105720
 W139 / D113 / H183
 top opening diameter
 90
 practical capacity
 600ml



THJN-2HSV
 C/T12 221253
 W110 / D78 / H179
 top opening diameter
 73
 practical capacity
 300ml



THW-2-OV
 C/T24 153974
 W116 / D76 / H160
 top opening diameter
 73
 practical capacity
 300ml



THW-4-OV
 C/T24 153981
 W144 / D94 / H174
 top opening diameter
 90
 practical capacity
 600ml



CPSW-2-OV
 C/T12 153714
 W114 / D80 / H170
 top opening diameter
 73
 practical capacity
 300ml



CPSW-4-OV
 C/T12 153721
 W133 / D95 / H186
 top opening diameter
 90
 practical capacity
 600ml



DGC-40-OV
 C/T12 221901
 φ128 / H224
 top opening diameter
 99
 practical capacity
 400ml

SYPHON




SPECIAL FEATURES

1. High temperature brewing.
2. Brewing process is entertaining to watch.

TASTE

Makes a clean coffee with no sediment, while maintaining pronounced flavors.

HOW TO USE





MCA-3
C/T10 525016
W165 / D115 / H290
top opening diameter 72
(upper)
practical capacity 360ml
includes a 50 sheets of
paper filter



TCA-2
C/T12 503014
W160 / D95 / H340
top opening diameter87
(upper)
practical capacity 240ml
includes a cloth filter



TCA-3
C/T12 503113
W160 / D95 / H350
top opening diameter 87
(upper)
practical capacity 360ml
includes a cloth filter



TCA-5
C/T12 503212
W160 / D110 / H360
top opening diameter 101
(upper)
practical capacity 600ml
includes a cloth filter



NXA-5
C/T12 502918
W115 / D180 / H390
top opening diameter
109(upper)
practical capacity 600ml
includes a metal filter and
a cloth filter



SCA-5
C/T4 502901
W150 / D186 / H355
top opening diameter
130(upper)
practical capacity 600ml
includes a metal filter and
a cloth filter

COLD BREW COFFEE BOTTLE



SPECIAL FEATURES

1. Easy to use.
2. Mesh filter specially formulated for ground coffee.
3. Makes iced coffee using only ground coffee and room temperature / cold water.

TASTE

Mild flavor with a hint of bitterness. Iced coffee made without added ice does not become as diluted and can have a richer taste.

HOW TO USE

1




2



3



4




5

Brew in the refrigerator for 8 hours.



6





FIC-70-MC
C/T24 033436
W87 / D84 / H300
top opening
diameter 71
finished capacity
650ml
5cups



FIC-70-CBR
033443



FIC-70-B
037441



MCPN-7R
C/T24 164314
W138 / D94 / H208
top opening
diameter 88
finished capacity
600ml
5cups



MCPN-7CBR
164307



MCPN-14R
C/T24 164338
W138 / D94 / H294
top opening
diameter 88
finished capacity
1,000ml
8cups



MCPN-14CBR
164321



CBS-10HSV
C/T24 036871
W100 / D94 / H290
top opening
diameter 88
finished capacity
1,000ml

COLD BREW DRIP TOWER




SPECIAL FEATURES

1. Visually appealing as well as functional.
2. Change the taste of your coffee by adjusting the drip rate.
3. Provides a distinct taste that is unique to slow drip cold brew.

TASTE

A combination of drip and immersion, the cold brew slow drip method results in a thinner cup with reduced bitterness and complex flavor.

HOW TO USE





WDD-5-PGR
 C/T12 163492
 W107 / D102 / H304
 top opening
 diameter 91
 practical capacity
 600ml
 includes 50 sheets
 of paper filter
 5cups



SBS-5B
 C/T12 163263
 φ116 / H360
 top opening
 diameter 73
 practical capacity
 600ml
 includes 50 sheets
 of paper filter
 5cups



WDC-6
 CT16 163201
 W150 / D129 / H455
 top opening
 diameter 77
 finished capacity
 780ml
 includes 50 sheets
 of paper filter
 2-cups



WDW-6
 C/T6 163225
 W205 / D135 / H475
 top opening
 diameter 77
 finished capacity
 780ml
 2-6 cups



WDW-20
 C/T1 163232
 W290 / D230 / H980
 top opening
 diameter 105
 finished capacity
 2,000ml
 includes 50 sheets
 of paper filter



PTN-5BZ
 C/T6 163379
 W190 / D170 / H290
 top opening
 diameter 82
 practical capacity
 600ml
 5cups




VIC-02B
 C/T18 142138
 W180 / D120 / H220
 top opening
 diameter 116
 practical capacity
 700ml
 includes 40 sheets
 of VCF-02M

GRINDER



SPECIAL FEATURES


1. Ceramic burr is washable and more durable.
2. Gives an even grind every time.
3. Grind size is easy to adjust.



HOW TO CHANGE GRIND SIZE


Grind size adjustment dial ①

Lock the grind adjustment dial in the desired position. Turn the dial clockwise for a fine grind, counterclockwise for coarse.



Grind size adjustment dial ②

Rotate to the right (clockwise) for finer grounds or to the left (counterclockwise) for coarser grounds.



Particle size	Fine	Medium fine	Medium	Coarse
Equipment				
Paper filter		●	●	
Mesh/steel filter			●	
Nel drip		●	●	
Syphon		●	●	
Water drip	●	●		
Coffee maker		●	●	



MSCS-2DTB
 C/T12 707733
 W172 / D93 / H231
 top opening diameter 90
 coffee grounds 100g
 washable grinder burr-
 stabilizer plate



MMCS-2B
 C/T12 707740
 W167 / D95 / H195
 top opening diameter 88
 coffee grounds 100g
 washable grinder
 die-cast aluminum handle



MCD-2
 C/T12 707337
 W143 / D88 / H208
 coffee grounds 35g



MXR-2TB
 C/T12 707627
 W183 / D75 / H175
 coffee grounds 40g
 washable grinder



MMHN-4
 C/T20 707320
 W208 / D105 / H215
 top opening diameter 79
 coffee grounds 120g
 not heatproof glass



MCW-2-OV
 C/T12 707375
 W167 / D85 / H215
 coffee grounds 30g



CM-502C
 C/T12 707467
 W152 / D104 / H231
 coffee grounds 40g



MSG-2-T
 C/T24 707894
 W150 / D53 / H190
 top opening diameter 46
 coffee grounds 24g
 washable grinder



MSG-2-TB
 C/T24 707887



MSS-1DTB
 C/T24 707726
 W150 / D72 / H220
 top opening diameter 70
 coffee grounds 24g
 washable grinder



MMSP-1-B
 C/T24 707801
 W150 / D74 / H210
 top opening diameter 69
 coffee grounds 24g
 washable grinder
 die-cast aluminum handle



SPECIAL FEATURES

- 1.This product can be used as a manual grinder or an electric grinder depending on the situation.
- 2.The powerful motor which can easily grind even light-roast beans, allows for fast and convenient grinding.
- 3.A compact design and a rechargeable lithium battery for cordless operation make it conveniently portable.



EMS-1B

C/T12 708273
W36 / D36 / H180

This is an electric motor for grinders, MSG-2 and MSS-1, and cannot be used by itself to grind coffee beans.



EMSG-2B

C/T6 708136
W59 / D53 / H332
coffee grounds 24g

SPECIAL FEATURES

- 1.The grind size can be adjusted from medium to fine grinding, which is optimal for hand drip.
- 2.The burr is a stainless steel cone-shaped burr made for pour over.
- 3.Equipped with switch pad designed for V60 dripper. (EVCG)



EVC-8B



EVCG-8B
C/T2
W133 / D220 / H390
coffee grounds 100g










KETTLE



SPECIAL FEATURES

- 1.Slim spout for an accurate and precise pour.
- 2.Easy to hold handle.
- 3.Compatible with various heat sources.
- 4.Electric kettle shuts off automatically.

Cooking utensils / Heat source			
Utensil \ Product	VKB/VKF/BDK/VKW	VKBN-90CP/ VKB-70HSV	EVKB/EVKT
GAS 	●	●	×
ELECTRIC 	●	●	×
SHEATHED 	●	●	×
HALOGEN 	●	●	×
RADIANT 	●	●	×
INDUCTION 	●	×	×
PLUG 	×	×	●



VKB-70HSV
C/T12 021426
W255 / D115 / H140
top opening diameter 71
practical capacity 500ml



VKB-100HSV
C/T12 021136
W295 / D144 / H130
top opening diameter 77
practical capacity 600ml



VKB-120HSV
C/T12 021006
W274 / D144 / H147
top opening diameter 77
practical capacity 800ml



VKB-120-MB
C/T12 021563
W292 / D144 / H147
top opening diameter 77
practical capacity 800ml



VKBN-90CP
C/T6 021099
W290 / D126 / H145
top opening diameter 71
practical capacity 700ml



EVKB-80HSV
C/T6 021341
W300 / D156 / H175
top opening diameter 77
capacity : minimum 150ml
maximum 800ml



EVT-80-HSV
C/T6 021686
W300 / D190 / H185
top opening diameter 77
capacity : minimum 300ml
maximum 800ml



VKF-120-HSV
C/T12 021570
W263 / D144 / H150
top opening diameter 77
practical capacity 800ml



VKF-120-MB
021587



VKW-120-HSV
C/T12 021716
W310 / D144 / H160
top opening diameter 77
practical capacity 800ml



BDK-80-W
C/T6 021501
W280 / D136 / H170
top opening diameter 77
practical capacity 800ml



DKG-140-W
C/T12 021761
W275 / D137 / H155
top opening diameter 77
practical capacity 1,000ml



DKG-140-B
021778



VKA-35-TB
C/T24 021754
W177 / D78 / H128
top opening diameter 78
practical capacity 350ml

SCALE

SPECIAL FEATURES

1. Integrated timer makes following coffee recipes easy.
2. Sensitive to changes of 0.1g from min. of 2g to max. of 2,000g.

SPECIFICATION

	VST	VSTM
MIN-MAX weight	2-2,000g	
Unit of display	2-200g:0.1g / 200-500g:0.5g / 500-2,000g:1g	
MAX count up time	90 minutes 59 seconds	
Power source	DC3V 2 x AAA batteries	Nickel metal hydride battery 3.6V Battery run time / About 80 hours Charging time / About 4 hours Charging input / DC 5V 200mA *USB charging cable (50cm) included



VSTN-2000B
C/T20 021907
W120 / D190 / H29
unit of display : 2-2000g
maximum count up time :
99 minutes 59 seconds



VSTM-2000HSV
C/T20 021310
W120 / D175 / H31
unit of display : 2-2000g
maximum count up time :
99 minutes 59 seconds




TEA




HARIO

HAND BREWING EQUIPMENT



ACCESSORIES



COLD BREW TEA BOTTLE




SPECIAL FEATURES

1. Filter mesh attaches to silicone spout.
2. Clog-resistant filter.
3. Suitable for any kind of tea.

TASTE

Cold-steeped tea is less bitter with a gentler aftertaste.

HOW TO USE





FIB-30-OG
C/T24 034334
W70 / D68 / H206
top opening diameter 57
practical capacity 300ml



FIB-30-R
034327



FIB-75-OG
C/T24 034426
W87 / D84 / H300
top opening diameter 71
practical capacity 750ml



FIB-75-R
034419



new
FIBP-16-SPR
C/T24 038288
φ65 / H180
top opening diameter 56
practical capacity 160ml



new
FIBP-16-SG
038271



FIBP-40-SPR
C/T24 037830
φ74 / H240
top opening diameter 65
practical capacity 400ml



FIBP-40-SG
037847



FIE-80-PGR
C/T18 037564
φ90 / H320
top opening diameter 80
practical capacity 800ml



FIE-80-SPR
037540



FIE-80-SG
037557



KAB-120-W
C/T24 037571
W90 / O90 / H320
top opening diameter 85
practical capacity 1,200ml
<tritan>



KAB-120-SPR
037595



KAB-120-SG
037588

TEA DRIPPER




SPECIAL FEATURES

1. Pour tea with the press of a switch.
2. Gradual drip into ice-filled server allows for faster cooling.
3. Server spout is especially contoured to hold ice when pouring.

TASTE

Regular tea pots cause stronger tea to concentrate in the bottom, where it settles. For this reason, the traditional method of serving Japanese tea is to pour a bit into every cup, then pouring into each cup once more. The Tea Dripper pours from the bottom, which allows for an even pour in one step.

HOW TO USE





TDR-35B
C/T12 022331
W123 / D114 / H120
top opening diameter 110
practical capacity 350ml



TDR-5012B
C/T12 022348
W150 / D116 / H205
practical Capacity of dripper 350ml
practical Capacity of pitcher 450ml



TDR-80B
C/T12 022300
φ130 / H165
top opening diameter 100
practical capacity 800ml



TDR-8006T
C/T6 022317
W170 / D134 / H309
practical capacity of dripper 800ml
practical capacity of pitcher 800ml



TEA POT



With a heatproof glass teapot, you can enjoy the variety of colors in the tea. It comes with a large tea strainer so that the tea leaves can expand easily.



CHZ-30T
C/T24 094413
W156 / D110 / H90
top opening diameter 110
practical capacity 300ml



CHZ-45T
C/T24 094420
W168 / D120 / H100
top opening diameter 120
practical capacity 450ml



TPC-45HSV
C/T24 093928
W140 / D105 / H123
top opening diameter 67
practical capacity 450ml



TPC-70HSV
C/T24 093935
W156 / D120 / H148
top opening diameter 82
practical capacity 700ml



COOK


RICE COOKING POT



HOW TO MAKE RICE

1. Rinse rice several times, drain and place in pot.
2. Pour fresh water into pot and allow rice to soak for 30 mins.
3. Place on medium heat for 7-10 mins, until pot lid whistles.
4. After boiling and hear whistle blowing sound (or you see bubbling inside the pot), wait for 1 minute then stop the heat.
5. Remove from heat and allow rice to sit for 15 mins.

HOW TO USE





GNR-150-B
C/T6 803855
W210 / D174 / H190
top opening diameter 150
for 2-4 servings





GNR-200-B
C/T4 803862
W270 / D230 / H210
top opening diameter 200
for 4-6 servings



GIS-200
C/T6 803992
W260 / D216 / H200
top opening diameter 208
full capacity 2,800ml
for 2-6 servings



GO-2B
C/T12 803824
W190 / D190 / H87
for 4 servings

	GAS 	INDUCTION 
GNR	○	×
GIS	○	○
GDN	○	×
MIS	○	○



GDN-165-B
C/T12 803619
φ210 / H140
top opening diameter 165
full capacity 700ml



GDN-225-B
C/T6 803626
φ275 / H170
top opening diameter 225
full capacity 2,000ml



GDN-255-B
C/T4 803633
φ310 / H185
top opening diameter 255
full capacity 3,000ml



MIS-23
C/T6 803978
φ285 / H144
top opening diameter 225
full capacity 1,900ml



MIS-26
C/T6 803985
φ315 / H156
top opening diameter 255
full capacity 2,600ml





SMS-120-B
 C/T48 708037
 φ55 / H153
 top opening diameter 37
 practical capacity 120ml
 for salt & pepper



SMG-120-PGR
 C/T48 708044
 φ55 / H153
 top opening diameter 37
 practical capacity 120ml
 for sesame



DBS-120G
 C/T24 531222
 φ55 / H135
 top opening diameter 37
 practical capacity 120ml



DBS-120B
 531208



DBS-240G
 C/T24 531239
 φ55 / H203
 top opening diameter 37
 practical capacity 240ml



DBS-240B
 531215



MXP-900
C/T12 420335
φ156 / H102
top opening diameter 156
full capacity 900ml



MXP-1500
C/T12 420342
φ187 / H115
top opening diameter 187
full capacity 1,500ml



MXP-2200
C/T12 420359
φ210 / H120
top opening diameter 210
full capacity 2,200ml



SYTN-2518-OW
C/T18 761742
S: W114 / D112 / H53 φ105
M: W142 / D138 / H65 φ131
L: W170 / D168 / H78 φ160
full capacity
250ml / 600ml / 1,200ml



SYTN-2518-R
C/T18 761759



MJP-500-GR
C/T12 530591
W173 / D128 / H123
top opening diameter 128
practical capacity 500ml



MJP-250-GR
C/T12 530584
W155 / D109 / H98
top opening diameter 109
practical capacity 250ml



CMJW-500
C/T24 530324
W150 / D105 / H120
top opening diameter 105
practical capacity 500ml



CMJW-200
C/T24 530331
W118 / D81 / H87
top opening diameter 81
practical capacity 200ml

How to read specifications



Product Number — **XGS-36TB** — Color Symbol
Quantity per Carton — C/T24 020108 — JAN Code No.
Dimensions (mm) — W130 / D107 / H99
top opening diameter 77
practical capacity 360ml
(microwave safe including lid)

*The last six numbers of JAN code are mentioned. The first 7 common numbers are 4977642.

Color and material Symbols

W: White	BR: Brown	CP: Copper
OW: Off White	CBR: Chocolate Brown	SV: Silver
TW: Transparency White	MC: Mocha	HSV: Hairline silver
NW: Natural White	R: Red	GD: Gold
PGR: Pale gray	SPR: Smoky pink	OV: Olive wood
CGR: Charcoal gray	PC: Cherry pink	
B: Black	OG: Olive green	
MB: Matte black	SG: Smoky green	
TB: Transparency Black	DG: Dark green	
T: Transparency	NV: Navy	
	TNV: Transparency Navy	





HARIO products are used in over

75

countries and regions.

HARIO CO., LTD.

9-3 Nihonbashi Tomizawa-Cho, Chuo-Ku, Tokyo 103-0006 Japan

TEL: +81-3-5614-2115 FAX: +81-3-5614-2125

Visit our
web site!



global.hario.com



[@hario_official](https://www.instagram.com/hario_official)



[@hario_japan](https://www.instagram.com/hario_japan)



[www.facebook.com
/Hario Global](https://www.facebook.com/Hario Global)



[HARIO GLABAL](https://www.youtube.com/HARIO GLABAL)